

SPLASH POOL APPLIANCE



Welcome to SPLASH

Complete Support Accessories



Table of Contents

pg 1 • Premium series

pg 2-3 • Brushes

pg 4-5 • Leaf rakes and scoops

pg 6 • Australian series

pg 7-10 • Vacuums

pg 11-13 • Thermometers

pg 14-15 • Dispensers

pg 16 • Test kits

pg 17-18 • Maintenance kits

pg 19 • Telescopic poles

pg 20 • Fountains

pg 21-26 • Various accessories

pg 27 • Valves

pg 28-36 • White goods

About Us

Ningbo Splash Pool Appliance Co., Ltd is a leading swimming pool products manufacture in China. Founded in 1997, Splash is an enterprise integrates with a full line of pumps, filters, automatic pool cleaners and pool accessories. Our company and our products enable us to offer our customer, specialized pool products which meet your needs and requirements.

"And Our Professional, So You Trust"

Our products are designed and engineered to work together for optimal performance, efficiency, durability and value. We are satisfied with our customers' requests and understanding their expectations. We will deliver excellence, strive for continuous improvement.

We provide personalize service for our clients, we sincerely invite you, our friends to pay a visit to our factory and kindly give yours comments for our development. "Take responsibility for **QUALITY**, Deliver **CUSTOMER**, Act with **INTEG-RITY**, Being **CREATIVE**", is our belief.

Note

In line with the policy of continued development the manufacturer reserves the right to amend the specifications without prior notification, the pictures and date in the catalogue are consult only, if there is fluctuation, according to the real object please.



Premium series




Aluminum Brushs




•5"(12.5cm) pool brush with 5"alu.Back-stainless steel bristles



•10"(25cm) pool brush with 5"alu.Back-stainless steel bristles








•18"(45cm) alu.Back pool brush-stainless steel & nylon bristles(curved)









•Fixed scrubber fine grade pad on molded handle

Brushes




•Super scrubber with three different kinds of pad



•Two pieces leaf rake




•Commercial leaf rake



•Big deep leaf skimmer with alu. frame and handle



•Deluxe pro-series deep leaf skimmer with alu. frame and handle



•Two pieces leaf skimmer














•Budget priced leaf skimmer




90234

•Deluxe pro-series deep leaf skimmer



•Leaf skimmer with 5 section poles to save container space






















90273

• Deluxe pro-series leaf skimmer-Australian style handle



Vacuums

90407 / 90491



- •90491-90407 with Australian handle
- •Blue ABS with enclosed weights for easier cleaning control



- •90493-90409 with Australian handle
- •Large shaped white ABS vacuum with protective vinyl bumper and weights



- •90495-90428 with Australian handle
- Simple vacuum head



- •90450:90452 with Australian handle
- Ttriangular shaped, weight see-thru design with protective vinyl bumper




- •90492-90408 with Australian handle
- Large shaped white ABS vacuum with protective vinyl bumper, weights and side brushes



- •90494-90423 with Australian handle
- •Special contour shape deluxe vacuum with protective vinyl bumper and weights(W/full bumper)




- •90449:90448 with Australian handle
- Triangular vacuum head with protective vinyl bumper and swivel connection



- •90496-90451 with Australian handle
- •14"(35cm) vacuum head on wheels for concrete pools.





- •90497-90453 with Australian handle
- •14"(35cm) vacuum head on wheels with side-brushes for vinyl and concrete pools.



- •90499:90455 with Australian handle
- Heavy-duty Flexible Vacuum with 6 weights and bearing wheels



•19"(48cm) vacuum head for concrete pools with ABS wheels(x12)



90454 / 90498

- •90498:90454 with Australian handle
- •Vacuum head with ABS handle, stainless steel wheel axels



 19"(48cm) vacuum head for concrete pools with urethane wheels(x12)



Vacuum head with air relief valve





Vacuums



•13.8"(35cm) Aluminum vacuum head with butterfly handle and screws




 Venturi Leaf Bagger Includes Handle, wheels and ployester Drawstring leaf Bags connects to standand Ganden Hose



•Underwater vacuum cleaner perfect for above ground pool,spas,ponds&fountains




•Underwater vacuum cleaner perfect for above ground pool,spas,ponds&fountains with an alu.poles of 48"(122cm)




•17.7"(45cm) Aluminum vacuum head with butterfly handle and screws



 Venturi Leaf Bagger Includes Handle, Brashes and ployester Drawstring leaf Bags connects to standand Ganden Hose



 Underwater vacuum cleaner perfect for above ground pool,spas,ponds&fountains with brushes




 Underwater vacuum cleaner perfect for above ground pool,spas,ponds&fountains with an alu.poles of 48"(122cm) & brushes


Vacuums









•Vacuum head with a three-way telescopic pole of 4'(122cm)





•Leaf skimmer with 5'(152cm)alu.pole



•Leaf skimmer with plastic pole










Splash Themometers




Turtle



Frog

Sea lion

Themometers




Themometers



•10.2"x3"(26cmx7.5cm)Large thermometer ABS moled case F & C scale



•9"/22cm E-Z read combo sink or float thermometer including snap on/off floatation top







●6"/17cm Deluxe thermometer with glass tube F & C scale





•6"/17cm Brass thermometer






•Thermometer with round float






•Applo float chlorine dispenser(7"diameter)




•Folded dispenser to save container space (9"diameter)



•Folded dispenser to save container space (5"diameter)



•Floating reinforced polymer chlorine dispenser, with different shaped cover and lid (7"diameter)



•Floating reinforced polymer chlorine dispenser, twist lock cap and adjustable ring(9"diameter)



•Floating reinforced polymer chlorine dispenser, twist lock cap and adjustable ring(5"diameter)




•Floating reinforced polymer chlorine dispenser, twist lock cap and adjustable ring(7"diameter)




•Folded dispenser to save container space (7"diameter)

Dispensers











•Floating dispenser with thermometer









90903



•2 IN 1 test strip(ph/free chlorine)

90904



•3 IN 1 test strip(ph/free chlorine/total alkalinity)

90905



•4 IN 1 test strip(ph/free chlorine/total alkalinity /total bromine)

90906



•5 IN 1 test strip(ph/free chlorine/total alkalinity /total bromine/hardness)

90902





●Test kit refill (1/2 oz. OTO and PH)

90929



• Test kit for chlorine and ph including easy to follow instructions(1/2oz.oto. and phenol)

Maintenance kit



90855



•Maintenance Kit including 5 items 90136,90929,90382,90423,90266

90856



•Maintenance Kit including 5 items 90423,90125,90226,90929,90349

90857



•Maintenance Kit including 6 items 90136,90929,90381,90448,97079,90243

90858



•Maintenance Kit including 5 items 90136,90423,90226,90903,90336

90859



•Maintenance Kit including 5 items 90125,90929,90382,90451,90266

90860



•Maintenance Kit including 5 items 90125,90423,90929,90226,90350

90861



Maintenance Kit including 4 items 90226,90349,90448,90185

90862



•Maintenance Kit including 6 items 90185,90226,90929,90349,90699,90429

90864



•Maintenance Kit including 5 items 90448,90350,90929,97079,90226

Maintenance kit



90867



•Maintenance Kit including 5 items 90408,90125,90265,90929,90380

90882



•Maintenance Kit including 4 items 90489,90733,90381,90226

90883



•Maintenance Kit including 6 items 90429,90699,90177,90733,90381 90226

90885




•Maintenance Kit including 5 items 90452,90125,90929,90350,90243

90886



•Maintenance Kit including 5 items 90448,90136,90929,90349,90226





	Item#:	Length	Descriptions	
	90601	4'-8' telescopic pole-bice color(1.2m-2.44m)		
Α	90602	6'-12' telescopic pole-bice color(1.8m-3.6m)	External Locking Cam Blue Spray Finishing	
	90603	8'-16' telescopic pole-bice color(2.4m-4.8m)		
В	90620	Deluxe 5' to 15' (1.5m-4.5m)	Threeway Smooth Pole	
В	90694	Deluxe 4' to 12' (1.2m-3.6m)	External Locking Cam Blue Anodized Finish	
	90635	Deluxe 8' to 16' (2.4m-4.8m)	Metal Inner Lock Blue Anodized Finish	
С	90636	Deluxe 6' to 12' (1.8m-3.6m)		
	90637	Deluxe 4' to 8' (1.2m-2.4m)		
	90695	Deluxe 8' to 16' (2.4m-4.8m)		
D	90696	Deluxe 6' to 12' (1.8m-3.6m)	Ridged Pole External Locking Cam Blue Anodized Finish	
	90697	Deluxe 4' to 8' (1.2m-2.4m)		

Fountains







96293

• Cover siphons







Model	Work pressure	Pipe	Carton
Number	bar(psi)	Size	Dimension (cm)
70750	>0.5(7.2)<1.5(21.6)	1 1/2"	

Use the recycled water from your filtration system to provide energy. The fountains do not need electric or battery to start working. The LED lights will change automatically to shoot out different colors and enjoy the colorful water.

Features

- ■Do not need the electric or battery, the water flow make the generator works.
- ■Suitable for both above and in-ground pools.






•White PVC suction hose(Max. lenght:15m)

92202

•Visible PVC suction hose(Max. lenght:15m)



filter system
•92219- 1¹/₄"(32mm) hose for filter system





- •92206-Blow molded hose made of LDPE any length available 1 1/2"(38mm)
- •92216-Blow molded hose made of LDPE any length available 1 1/4"(32mm)

92207 / 92217



- •92207-Extruded hose made of EVA with one end swivel and the other fixed 1 1/2"(38mm)
- •92217-Extruded hose made of EVA with one end swivel and the other fixed 1 1/4"(32mm)

92208 / 92218



- •92208-LDPE hose 1m cutable 11/2"(38mm)
- •92218-LDPE hose 1.1m cutable 11/4"(32mm)


92104 / 92105



•92104-25
•92104-50
•92104-100
•92104-100
•92104-200
•92105-25
•92105-50
•92105-100
•92105-100
2" Backwash hose of 200'
•92105-100
•92105-100
1 1/2" Backwash hose of 50'
•92105-100
•92105-100
1 1/2" Backwash hose of 100'

•92105-200 1 1/2" Backwash hose of 200'

92102 / 92103



THICKENING

92102-25
92102-50
2" Backwash hose of 50'
92102-100
2" Backwash hose of 100'
92102-200
2" Backwash hose of 200'
92103-25
1 1/2" Backwash hose of 50'
92103-100
1 1/2" Backwash hose of 50'
92103-100
1 1/2" Backwash hose of 100'

•92103-200 1 1/2" Backwash hose of 200'







•Flex-a vac wheels for item 90455(4pcs)

97021



•Flex-a vac wheels for item90451/90453(4pcs)

97022



•Flex-a vac wheels for item 90454(4pcs)

97024



•Leaf vac wheels and axles(3pcs)

97039



Universal quicksnap butterfly clips(3PCS)

97047

97040



•Universal quicksnap butterfly clips for Australian market

97046



 Universal polymer replacement handle fits all vacuum heads including pin and quicksnap


97098




 Australian Universal polymer replacement handle fits all vacuum heads including pin and quicksnap

Universal pin for handle(3PCS)





- ●97001-1 1/4"wintering stopper
- ●97002-1 1/2"wintering stopper
- •97003-2"wintering stopper




2" thread

(Ф60mm)

1 1/2" thread

(Φ48mm)







●96507 16′(4.9m)Rope 5 floats 2 hooks

96508 18'(5.5m)Rope 7 floats 2 hooks
96509 20'(6.1m)Rope 9 floats 2 hooks

97050



•5" x 9" Pool Float Blue & White Fits 3/4" Rope

97210



•3/4" bronze rope anchors(2pcs)

97220



●Hook,plated brass 2-1/2" (2pcs)

87203



•Chrome plated wall anchors(2pcs)

97207 / 97208



- ●97207-2"stainless steel clamp
- •97208-1 1/2"stainless steel clamp

97201



•0-60 PSI plastic 2" Pressure gauge(1/4NPT side-hookup)

97202



•0-60 PSI plastic 2" Pressure gauge(1/4NPT back-hookup)

97209



•Aluminum life hook







•Replacement bag for item# 90456/90457

97410



•Replacement bag for item# 90429/90430/90462/90463/90489/90490

97411



•Filter bags (5pcs)

65022005



●6"/17cm Paper filter core

OD	Length	Top/ Bottom	SqFt ft ²	
4 1/4"	8"	1 15/16"ID	5	

97406



Paper fiter core

OD	Length	Top/ Bottom	SqFt ft ²
4 5/16"	8"	2 3/16"ID	8

97306



Safety information









Mold number	OD	Length	Top/ Bottom	SqFt ft ²
65022001000	7"	9-13/16"	3"	25
65022002000	7"	14-1/8"	3"	35
65022003000	7"	19-5/8"	3"	50
65022004000	7"	25-1/2"	3"	70
65022039031	7"	32-5/16"	3"	100
65022040031	7"	36-3/4"	3"	120
65022035000	8-15/16"	28-3/16"	4"	200
65022036000	8-15/16"	28-3/16"	4"	120
65022037000	8-15/16"	28-3/16"	4"	150









Valves



95216



●PVC ball valve 1 1/2" male to female threaded

95219 / 95220 / 95221



- ●95219-Two way valve 1 1/2" male theaded x 1 1/2" barbed
- ●95220-Two way valve 1 1/2"male to female threaded
- ●95221-Two way valve 1 1/2" barbed x 1 1/2" barbed

95701 / 95702



- ●95701-ABS 3-Way valve 1 1/2" NPSM
- ●95702-ABS 3-Way valve 1 1/2" SLIP

95223 / 95224



- ●95223 1 1/2" PVC Spring Check Valves
- •95224 2" PVC Spring Check Valve

95723



•Three way valve with in and left outlet 1 1/2" male threaded x 1 1/2" female threaded x 1 1/2" barbed

95725



•Three way valve with in and ringht outlet 1 1/2" male theaded x 1 1/2" female threaded x 1 1/2" barbed

95726



•ABS 3-Way valve 1 1/2" NPSM

95727




●ABS 3-Way valve 1 1/2" BSP

95728



•ABS 3-Way valve 1 1/2" SLIP



•Wide-mouth set essemble grande ouverture

91004



•Complete ABS return fitting available in white or grey

91005



•Directional eyeball and ring

91006



•Wide-mouth face plate

91007



Standard face plate

91008



Teflon tape

91009



•Double layer standard gaskets

91010



•Return fitting gasketd(3PCS)

991011



•Hose adaptor 1 1/2" male threaded (NPT) 1 1/2" X 1 1/4" hose smooth

91012



● Vacuum plate 1 1/2" x 1 1/4" Smooth hose connection

91013 / 91014




 91013-Stainless steel screw kit for standard skimmer(10PCS)

 91014-Stainless steel screw kit for wide-mouth skimmer(18PCS) 91015



•Skimmer cover





•91215-Plug W/o-ring 1 1/2"MIP

•91216-Plug W/o-ring 2"MIP

•ABS threaded plug 1 1/2" (NPT)



●Plug W/gasket 1 1/2" MIP

91702



•Hydrostream 1 1/2"(38mm)insider fitting 1"

91703



•Hydrostream 1 1/2"(38mm)insider fitting 3/4"

91704



•Hydrostream 1 1/2"(38mm)insider fitting 1/2"

91705



•Hydrostream 1 1/2"(38mm)insider fitting 3/8"

91706



Hydrostream 1 1/2" insider fitting slotted

91712



•Hydrostream 1 1/2" male threaded (NPT) fitting 1"

91713



•Hydrostream 1 1/2" male threaded (NPT) fitting 3/4"

91714



•Hydrostream 1 1/2" male threaded (NPT) fitting 1/2"

91715



•Hydrostream 1 1/2" male threaded (NPT) fitting 3/8"

91716



•Hydrostream 1 1/2" male threaded (NPT) fitting slotted

91720




•Hydrostream 1 1/2" male threaded(NPT) super director nozzle

91234 / 91235



- •91234-Jet-Air 1" slip(33mm)
- •91235-Jet-Air 1 1/2" slip(48mm)







- •91382-unit fitting 1 1/2" slip(48mm)
- •91384-unit fitting 1 1/2" slip(50mm)

91383



●Unit fitting 1 1/2" thread

91385 / 91386



- •91385-1 1/2" male threaded(NPT) x 1 1/2" slip(48mm)
- •91386-1 1/2" male threaded(NPT) x 1 1/2" slip(50mm)

91301 / 91302



- •91301-unit fitting 2" slip(60mm)
- •91302-unit fitting 2" slip(63mm)

91303 / 91304



- •91303-unit fitting 1 1/2" slip(48mm)
- •91304-unit fitting 1 1/2" slip(50mm)

91312



●Unit fitting 1 1/2" slip(48mm)

91226



•Floor inlet

91227



•Air nozzle

91236



•9" square

91209



•Deck drain/gutter socket 4"

91213



●Plug 1 1/2" mip

91204 / 91206



91204 CYC Adjustable inlet FTG SKT91206 CYC Adjustable floor inlet FTG

SKT





 Plastic face plate cover for Hayward(SP1084F)

91924



•Plastic face plate cover for 91002 wide-mouth skimmer

97018



 European standard quick disconnect without stop water valve

91117



•ABS 90°adaptor 1 1/2" male threaded(NPT)x1 1/2" x1 1/4" hose smooth

91920



•Square Lid (HAYWARD SP1082E)

97015 / 97016



- •97015-American Standand quick disconnect 3/4" female threaded
- •97016-European Standand quick disconnect 3/4" female threaded

91110



•ABS adaptor 1 1/2" male threaded (NPT) x 1 1/2" hose barbed

91118



•ABS 90° adaptor 1 1/2" male threaded(NPT) x1 1/2" hose barbed

91923



 Plastic face plate cover for 91001 standard skimmer

97017



 European standard quick disconnect with stop water valve

91111



•ABS adaptor 1 1/2" male threaded (NPT) x1 1/2" x1 1/4" hose barbed

47303014



●PP adaptor 1 1/2" male threaded x 1 1/2" x 1 1/4" smooth

Splash

White goods





•ABS adaptor 1 1/2" male threaded(NPT) x 1 1/4" x1 1/2" smooth

81102



•ABS adaptor 1 1/2" male threaded(NPT) x 1 1/2" smooth

81103



hose adapter 1 1/2" male slip x 1 1/2" hose smooth

81104



•ABS 90° elblow 1 1/2"male threaded(NPT) x 1 1/2"smooth

81105



•ABS SCH 40 adaptor 1 1/2" glued male insert(SPIG) x 1 1/4" smooth

81106



•ABS SCH 40 adaptor 1 1/2" glued male insert(SPIG) x 1 1/2" barded

81107



•ABS quick-connect 90° elbow 1 1/2" male threaded(NPT) x 1 1/2" barbed

81108



 ABS quick-connect 90° elbow
 1 1/2" male threaded(NPT)x1 1/2" smooth

81109



•ABS quick-connet adaptor 1 1/2" male threaded(NPT) x 1 1/2" barbed

81110



•ABS quick-connet adaptor 1 1/2" male threaded(NPT) x 1 1/2" smooth

91118



Adaptor with o-ring for 81110

47303014



•Adaptor with o-ring for 81109

81127003



•Ring for 81109/81110

81127002



•Housing for 81109/81110

81131002



•PVC SCH 40 adapter 1 1/2" male threaded(NPT) x 1 1/2" slip(48mm)

81127004



•ABS quick-connect 90° elblow 1 1/2" male threaded(NPT) x 1 1/2" barbed

81128002



•ABS quick-connect 90° elblow 1 1/2" male threaded(NPT) x 1 1/2" smooth

81124



•ABS 90° elbow adaptor 1 1/2" barded x 1 1/2" barded

81131



•ABS adaptor 1 1/2"(NPT) male threaded x 1 1/2" (NPT) male threaded

81132



●PVC SCH 40 90° elbow 1 1/2″ female slip(48mm) x 1 1/2″ barbed

81123



•ABS hose adaptor 1 1/2"(NPT) male threaded x 1 1/2" barbed

81126



 ABS quick-connect adaptor (2 1/2"-11 1/2 UN 2A)male threaded x 1 1/2" barbed

81020



•ABS adaptor universal wall skimmer vacuum elbow x1 1/4"x1 1/2"smooth

81125



●Pool fountain adaptor 1 1/2" female threaded x 2" female threaded



High quality main drains are available in white, black, gray, and dark gray as well as a variety of configurations to fit any residential inground pool or spa installation.





Features


- Vinyl liner model features two gaskets to seal inside and outside of pool.
- Rugged,ribbed construction.


Minimum of 3 feet (0.9m) apart Install minimum of 2 listed suction outlet covers

Each main drain should be rated at or above the maximum system flow rate.

Recommended installation of main drains to protect against entrapment hazards. Always consult current applicable standards.

Dimensions





Model Number	Description	Ctn. Qty.	Ctn. Weight	Carton Dimension(cm)
91200	ABS main drain 2" (NPT)female threaded	1	2.1 lbs.	22.5x22.5x20
91201	ABS main drain 1 1/2"(NPT) female threaded	1	2.1 lbs.	22.5x22.5x20



98701

Our deluxe floating chairs are made with a superior quality PVC frame making it strong and with the unbreakable HDPE polymer floats it is very stable. With 2 cup holders and a chlorine resistant textilene seat, these chairs are a must have for any pool owner.



Model Number	Description	Carton Dimension (cm)
98701	Blue arm	58x25.6x106
98702	White arm	58x25.6x106





NINGBO SPLASH POOL APPLIANCE CO., LTD

Add: Western part of Yinxian Ave, Ningbo China

Postal code: 315176 Tel: 86 574 8800 1888 Fax: 86 574 8805 8687 Web: www.splash-pool.com